

Christopher Harrison

Subject: FW: Planning Ref: 4/25/2110/0F1 - EPLA Ref: DC/25/835
Attachments: 23098 - 02 - T6 - Engineering Layout Sheet 2.pdf; 23098 - SK101 - P2 - Existing UU Water Main Position.pdf

From: Josie Scrimgour
Sent: 22 September 2026 14:15
To: Christopher Harrison <Christopher.Harrison@copeland.gov.uk>
Subject: RE: Planning Ref: 4/25/2110/0F1 - EPLA Ref: DC/25/835

CAUTION: External email, think before you click!
Please report any suspicious email to our [IT Helpdesk](#)

Hi Chris,

Further to the below, please find attached.

We updated the easement to suit UU's easement local practice table which is also below for reference.

The water main is approx. 508mm and the depth varies between less than 3m and between 3m – 4m.

Sewer Diameter / size (mm)	Less than 150	150 - 299	300 - 449	450 - 600	601 - 749	750 - 924	925 - 1000	1001- 1124	1125- 1399
Depth to Invert of sewer (m)									
Less than 3.0	3.0	3.0	3.0	3.5	3.5	4.0	5.0	5.0	5.0
3.0 to 4.0	3.0	3.0	3.0	4.0	4.0	5.0	5.0	5.0	5.0
4.0 to 5.0	4.0	4.0	4.0	5.0	5.0	5.0	6.0	6.0	6.5
5.0 to 6.0	5.0	5.0	5.0	6.0	6.0	6.5	6.5	6.5	6.5
6.0 to 7.5	6.0	6.0	6.0	6.0	6.0	6.0	6.5	6.5	6.5
7.5 or greater	4.0	4.0	4.0	4.0	4.0	5.0	5.0	5.0	5.0

Many thanks
Josie Scrimgour
Planning & Pre-Development Manager
✉: Josie.scrimgour@genesis-homes.co.uk
☎: 07967 167 033



GENESIS
HOMES

www.genesis-homes.co.uk



Russell Armer
Homes